

APPENDIX

Nutri-RecQuest: a web-based search engine on current micronutrient recommendations

AEJM Cavelaars¹, A Kadvan², EL Doets¹, J Tepšić², R Novaković², R Dhonukshe-Rutten¹, M Renkema³, M Glibetić², L Bucchini⁴, C Matthys⁵, R Smith⁶, P van 't Veer¹, CPGM de Groot¹ and M Gurinović²

¹Division of Human Nutrition, Wageningen University and Research Centre, Wageningen, The Netherlands; ²Department of Nutrition and Metabolism, Institute for Medical Research, University of Belgrade, Belgrade, Serbia; ³Topshare International BV, Wageningen, The Netherlands; ⁴Hylobates Consulting, Rome, Italy; ⁵ILSI Europe a.i.s.b.l., Brussels, Belgium and ⁶Minerva PRC Ltd, Monxton, Hants, UK

Background: The EURRECA (EUROpean micronutrient RECommendations Aligned) Network of Excellence collated current micronutrient recommendations. A user-friendly tool, Nutri-RecQuest, was developed to allow access to the collated data and to create a database source for use in other nutritional software tools.

Methods: Recommendations, that is, intakes of micronutrients sufficient to meet the requirements of the majority of healthy individuals of that population, from 37 European countries/organizations and eight key non-European countries/regions comprising 29 micronutrients were entered into a database. General information on the source of the recommendations, as well as scientific background information, was added.

Results: A user-friendly web-based interface was developed to provide efficient search, comparison, display, print and export functions.

Conclusion: Easy access to existing recommendations through the web-based tool may be valuable for bodies responsible for setting recommendations, as well as for users of recommendations including scientists, policy makers, health professionals and industry. Adding related dietary reference values such as average nutrient requirements and upper limits may extend the utility of the tool.

European Journal of Clinical Nutrition (2010) **64**, S43–S47; doi:10.1038/ejcn.2010.60

Keywords: micronutrients; recommendations; dietary reference intakes; database; web-based tool; EURRECA

Introduction

Most countries in Europe have established their own nutrient recommendations. As yet, there is no standard approach for deriving nutrient recommendations; they vary from country to country. The EURRECA (EUROpean micronutrient RECommendations Aligned) Network of Excellence (<http://www.eurreca.org>) collated data on current micronutrient recommendations (Doets *et al.*, 2008a, b, de Wit *et al.*, 2009). Critically reviewing these recommendations revealed considerable variations between countries (Doets *et al.*,

2008a, b, 2009). Following the entry of recommendations in a database, a user-friendly software tool on current recommendations was developed for the following purposes:

- (1) To allow easy access to the collated data on current recommendations with regard to micronutrients for all EURRECA partners and at a later stage to other stakeholders involved in setting recommendations.
- (2) To develop a common database/data source to be used in other nutritional software tools (for example, for menu planning), which is developed in the context of EURRECA (Gurinović *et al.*, 2010).

This paper describes the newly developed web-based tool named Nutri-RecQuest to inform future potential users of its existence.

Correspondence: Dr AEJM Cavelaars, Division of Human Nutrition, Wageningen University and Research Centre, PO Box 8129, Wageningen 6700 EV, The Netherlands.
E-mail: Adrienne.Cavelaars@wur.nl

Methods and results

Data

Information on current micronutrient recommendations was collated through questionnaires completed by national key informants involved in the development of recommendations, recommendation reports and scientific background reports (if available) at the end of 2007, and at the beginning of 2008. Details on data collation have been described elsewhere (Doets *et al.*, 2008a,b, de Wit *et al.*, 2009).

Recommended micronutrient intakes, that is, intakes sufficient to meet the requirements of the majority of healthy individuals (generally 97.5%) of a specific population or group, were available for 29 different micronutrients from 37 European countries, eight key non-European countries/regions (that is, United States/Canada, Australia/New Zealand, Japan, China, South Korea, South East Asia region, Brazil, Mexico), as well as recommendations set by the European Commission and the World Health Organization/Food and Agriculture Organization.

For each recommendation, the following basic data were entered into an excel sheet: region (that is, continent), country/organization, micronutrient, gender, population group, recommended amount (value or range or additional amount), special conditions (free text field containing assumptions regarding bioavailability, trimester pregnancy, activity level and so on), special condition group (fixed categories retrieved from free text field special condition) and remarks (additional information given by authors that do not fit into the above mentioned variables).

The following additional information was entered:

1. General information such as reference (author, title, year of publication and year of setting, weblink for reference), body responsible for setting of recommendations and source of origin (own report, shared report, adopted values).
2. Scientific background information: health indicators and type of evidence used for setting recommendations, and terminology/concept used for recommendation (that is, recommended daily allowance, which is defined as the estimated average nutrient requirement + 2*s.d. or adequate intake). As terminology varies between countries, the countries'/organizations' own terminology was included, as well as the standardized terminology proposed by King *et al.* (2007), that is, the proposal to use the term 'INLx' rather than 'recommended daily allowance' (Dhonukshe-Rutten *et al.*, 2010).

Tool design

The tool consists of two parts:

1. an SQL database, including additional functionalities to assist data management by the tool administrator;
2. a web-based interface developed using Microsoft Visual Fox Pro.

Database. The database includes all data mentioned above, as well as additional data tables (for example, with conversion factors for different units used) to facilitate data management and working of the web-based tool. Macros and forms are included for editing 'current' data, inserting 'new' data (manual one by one or by importing a standardized excel file), deleting or archiving 'old' data, printing and exporting data, administration of additional data tables and downloading and uploading data to the web application.

The excel file with data collated on micronutrient recommendations was imported into the SQL database using a macro. During this process, lower- and higher-age limits were added to the database on the basis of the variable 'population group'.

See Figure 1 for an overview of the database structure.

Web-based interface. The web-based interface enables users to search and compare recommendations of different countries and/or different reports. The results can be displayed, printed or exported to excel sheets. The web interface will show only the most recent recommendations, although the database has the possibility to keep/archive 'old' recommendations.

Two 'search' options are offered in the tool. The simple search menu option enables the user to select one criterion from a dropdown list to refine the search. Optional criteria are region (for example, Europe, Asia and so on), country, body responsible for setting recommendations, year of publication, micronutrient, population group, gender and condition (for example, physical activity level, % bioavailability, trimester pregnancy and so on). Within each criterion, multiple advanced selections are possible, for example, the selection of two countries. Such advanced search allows to select from the large number of criteria available and combine several criteria at the same time. Additional criteria are author, title, year of publication of the reference and age (lower limit, upper limit). Figure 2a shows all the web pages displayed when carrying out an advanced search, whereas Figure 2b shows only a screen print of the data and buttons that are displayed after making an advanced search selection. By using the buttons 'more' and 'details' (see Figure 2b), the available, general information on the source, scientific background information and remarks applying to the recommendation of interest can all be displayed.

The 'compare' function of the tool enables users to list micronutrient recommendations of all included countries or references (the latter will result in fewer records, as some countries have directly adopted recommendations of other countries/organizations. Moreover, some countries jointly set recommendations) for one micronutrient and gender for various specific ages at one time, that is, for 9 months, 5, 15, 25, 50 and 70 years and so on. Another possibility is to compare recommendations for pregnant or lactating women





Figure 2 (a) Screen print of the web pages displayed after making an advanced search selection. (b) Screen print of the detailed data displayed after making an advanced search selection.

recommendations of export markets is not straightforward, even if they may be needed to formulate or label food products. Potentially, NutriRec-Quest may be used to design foods that meet recommendations of different countries (users should be cautioned that the legal standing of recommendations may vary from mandatory regulations to mere advice to the public).

Adding macronutrients or other dietary reference values, such as average nutrient requirements and upper limits may optimize its utility. Adding average nutrient requirements, for example, would make it possible to extend the use of the database to the assessment of inadequacy of micronutrient intake.

Conclusion

Access to this web-based tool and the comprehensive data it contains on micronutrient recommendations across Europe and key non-European countries and organizations may be valuable for bodies responsible for and persons involved in setting recommendations, as well as for users of recommendations including scientists, policy makers, health professionals and industry. Adding other macronutrients or other dietary reference values, such as average nutrient requirements and upper limits, may extend its utility.

Conflict of interest

L Bucchini has received consulting fees and has equity/stock ownership in Hylobates Consulting, and has received grant support from EURRECA and an EC funded grant. He has also consulted for small/medium companies in the food supplement sector. The remaining authors have declared no financial interests.

Acknowledgements

The work reported herein has been carried out within the EURRECA Network of Excellence (<http://www.eurreca.org>),

which is financially supported by the Commission of the European Communities, specific Research, Technology and Development (RTD) Programme Quality of Life and Management of Living Resources, within the Sixth Framework Programme, contract no. 036196. This report does not necessarily reflect the Commission's views or its future policy in this area. We acknowledge Liesbeth de Wit, Anna Brzozowska, Trudy Wijnhoven, Garden Tabacchi, Torunn Holm Totland, Lene Andersen and Jiri Ruprich, Joy Ngo de la Cruz, Maria Hermoso, Annet Roodenburg, Amelie Casgrain, Duartes Torres, Caroline Bollars and key informants from the UNU/SCN Network for Capacity Development in Nutrition in Central and Eastern Europe (<http://www.srbnutrition.info/?page=Network>) and from other countries for their contribution to data collection, data entry, evaluation of its functionality or testing of the (pilot) tool. We also acknowledge the students from Wageningen University who developed a pilot version of the tool for their course and for group assignment on data management.

References

- de Wit LS, Tabacchi G, Doets EL, Dhonukshe-Rutten RAM, Cavelaars AEJM, Totland TH *et al.* (2009). Inventory of currently used methods for defining and applying micronutrient recommendations in Europe—Results from a Questionnaire and screening of Background Documents. EURRECA Deliverable RA1.3-2 (available on request).
- Doets EL, Cavelaars AEJM, de Wit LS, Dhonukshe-Rutten RAM, Timotijevic L, Gurinovic M *et al.* (2008a). Variation in current micronutrient recommendations across Europe, EURRECA Deliverable RA1.4-2 (available on request).
- Doets EL, De Wit L, Dhonukshe-Rutten R, Cavelaars A, Raats M, Timotijevic L *et al.* (2008b). Current micronutrient recommendations in Europe: towards understanding their differences and similarities. *Eur J Nutr* **47**, S17–S40.
- Dhonukshe-Rutten RAM, Timotijevic L, Cavelaars AEJM, Raats MM, de Wit LS, Doets EL *et al.* (2010). European micronutrient recommendations aligned: a general framework developed by EURRECA. *Eur J Clin Nutr* **64**(Suppl 2), S2–S10.
- Gurinović M, Kadvan A, Bucchini L, Matthys C, Torres D, Novaković R *et al.* (2010). EURRECA nutritional planning and dietary assessment software tool: NutPlan *Eur J Clin Nutr* **64**(Suppl 2), S38–S42.
- King JC, Vorster HH, Tome DG (2007). Nutrient intake values (NIVs): a recommended. Terminology and framework for the derivation of values. *Food Nutr Bull* **28**, S16–S26.